

STATE OF COLORADO

Roy Romer, Governor
Patti Shwayder, Acting Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Building
Denver, Colorado 80222-1530 4210 E. 11th Avenue
Phone (303) 692-2000 Denver, Colorado 80220-3716
(303) 691-4700



Colorado Department
of Public Health
and Environment

June 9, 1995

Rico Development Corporation
c/o David L. Sell
McMichael, Benedict & Multz
1580 Lincoln Street, Suite 900
Denver, CO 80203

Mr. Wayne E. Webster, President
Rico Development Corporation
Burley Building
P.O. Box 130
Rico, CO 80524

**RE: Reported Violation for
CDPS Permit No: CO-0029793; Dolores County**

Dear Mr. Sell and Mr. Webster:

The self-monitoring data you have provided on your Discharge Monitoring Report(s) indicates a violation of the discharge permit condition(s) as indicated below:

<u>Report</u> <u>Period</u>	<u>Outfall</u> <u>Number</u>	<u>Parameter</u>	<u>Reported</u> <u>Result(s)</u>	<u>Permit</u> <u>Conditions</u>
04/95	002A	Total Recoverable Cadmium, mg/l	0.0035 (30-day avg)	0.0004 (30-day avg)
		Total Recoverable Zinc, mg/l	0.57 (30-day avg)	0.237 (30-day avg)

It is imperative that the necessary steps be taken to maintain compliance with permit conditions at all times. Please reply to this Division, in writing, within fourteen (14) days after receipt of this letter as to what action and measures you have or will be taking to abate this condition. Continued noncompliance may result in a formal action, including imposition of penalties. Thank you for your cooperation.

If you have any questions regarding this matter, please contact me at 692-3590.

Sincerely,

Kathleen L. Sullivan
Industrial Enforcement Engineer
Permits and Enforcement Section
WATER QUALITY CONTROL DIVISION

cc: Grady R. Leavell, Rico Development Corporation, Burley Building, P.O. Box 130, Rico, CO 80524
Compliance Assurance Section, EPA
Local Health Department
Jim Horn, D.E., Field Support Section, WQCD
MS-3 Files